

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/754,534	01/12/2004	Ho Seon Choi	P24779	8255	
7055	7590 07/26/2004	EXAMINER		INER	
GREENBLUM & BERNSTEIN, P.L.C. 1950 ROLAND CLARKE PLACE			JONES, MELVIN		
RESTON, VA 20191			ART UNIT	PAPER NUMBER	
,			3744		
			DATE MAIL ED. 07/26/200	4	

Please find below and/or attached an Office communication concerning this application or proceeding.

W

	Application No.	Applicant(s)			
	10/754,534	CHOI ET AL.			
Office Action Summary	Examiner	Art Unit			
	Melvin Jones	3744			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on 12 January 2004.					
2a) This action is <b>FINAL</b> . 2b) ⊠ This	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.				
·	<i>i</i>				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)⊠ Claim(s) <u>1-20</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-20</u> is/are rejected.					
7) Claim(s) is/are objected to.	*				
8) Claim(s) are subject to restriction and/o	r election requirement.				
Application Papers					
9) The specification is objected to by the Examiner.					
10)⊠ The drawing(s) filed on <u>12 January 2004</u> is/are: a)□ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)☐ The oath or declaration is objected to by the Ex	raminer. Note the attached Office	Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)					
1) Notice of References Cited (PTO-892)	4) Interview Summary				
<ul> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 07/25/2004.</li> </ul>	Paper No(s)/Mail D 5)  Notice of Informal F 6)  Other:	ate Patent Application (PTO-152)			

Application/Control Number: 10/754,534

Art Unit: 3744

### **DETAILED ACTION**

## Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 recites the limitation "the guide" in line 7. There is insufficient antecedent basis for this limitation in the claim.

Claim 1 recites the limitation "the external air" in line 6. There is insufficient antecedent basis for this limitation in the claim.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1,19 & 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Amr (5,595,068) in view of Larsson (6,131,653) as best understood. Amr discloses a ceiling mounted indoor unit for a split-system air conditioning system having an outdoor unit and comprising: an indoor unit (10) whereby air is guide through, a fan (11), a heat exchanger (12), and enclosure (20), a suction inlet (31) and furthermore a fan discharge outlet duct (32). Amr lacks to a preheat exchange within a duct and

Application/Control Number: 10/754,534

Art Unit: 3744

connecting to a supply side and a discharge side. Larsson teaches an apparatus having a preheat exchanger (80) connected to a supply stream compartment and a discharge compartment (28). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the discloses system of Amr with a preheat exchanger as taught by Larsson for heating an air stream and dehumidifying the air stream.

### Allowable Subject Matter

Claims 2-18 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, second paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melvin Jones whose telephone number is (703) 305-0251. The examiner can normally be reached on Monday - Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Denise Esquivel can be reached on (703) 308-2597. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3744

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

mj

MELVIN JONES PRIMARY EXAMINER